

PANDIT JAWAHARLAL NEHRU COLLEGE OF AGRICULTURE AND RESEARCH INSTITUTE

(Govt. of Pondicherry Institute Accredited by ICAR and Affiliated to Pondicherry University, Puducherry) SERUMAVILLANGAI, NEDUNGADU (POST), KARAIKAL – 609 603, U.T. OF PUDUCHERRY

Phone: Off. 04368-261372.

Dr. Shamarao Jahagirdar, Ph.D., Post Doc (South Korea)

Fax No.04368-261260

DEAN

Fellow (FPSI, FIBR, FABS and FSPR)

Email: pajancoa.edu@gmail.com

15.11.2021

No./PJN/Hort./PHT Lab/ Crown Coring Machine /Quotation/2021 | 596

Sub: PAJANCOA & RI, Karaikal - Department of Horticulture - Post Harvest Laboratory - Purchase of Crown Coring Machine - Quotation - Called For - Reg.

This Institution proposes to purchase the Pulper as specified below.

Sl.No.		Description	Qty.
1.	Crown Coring Ma	chine	
	Specification: Capacity Capping type Bottle Range	: 800-1000 bottles /hour : Glass bottles : 200 – 1000 ml	1 No.

Please quote your lowest rate for the above said item. The quotations should be addressed to the Dean, PAJANCOA & RI, Nedungadu (Post), Karaikal - 609 603 and should be sent in a sealed cover.

The cover of the quotation should be superscribed as "Quotation for supply of Crown Coring Machine - Dept of Horticulture - PHT Laboratory".

The quotations should reach this office on or before 29.11.2021.

The validity period of quotation should not be less than 90 days from the date of quotation.

sd - DEAN

To

www.pajancoa.co.in - To AP (CSC) THRO'
HOD (AE YE) X SS PI



PANDIT JAWAHARLAL NEHRU COLLEGE OF AGRICULTURE AND RESEARCH INSTITUTE

(Govt. of Pondicherry Institute Accredited by ICAR and Affiliated to Pondicherry University, Puducherry) SERUMAVILLANGAI, NEDUNGADU (POST), KARAIKAL - 609 603, U.T. OF PUDUCHERRY

Phone: Off. 04368-261372.

Dr. Shamarao Jahagirdar, Ph.D., Post Doc (South Korea) DEAN

Fax No.04368-261260 Email: pajancoa.edu@gmail.com

Fellow (FPSI, FIBR, FABS and FSPR)

15.11.2021

No./PJN/Hort./PHT Lab/ Crown Coring Machine /Quotation/2021

Sub: PAJANCOA & RI, Karaikal - Department of Horticulture - Post Harvest Laboratory - Purchase of Crown Coring Machine - Quotation - Called For - Reg.

This Institution proposes to purchase the Pulper as specified below.

Sl.No.		Qty.	
1.	Crown Coring Machine		
	Specification: Capacity Capping type Bottle Range	: 800-1000 bottles /hour : Glass bottles : 200 – 1000 ml	1 No.

Please quote your lowest rate for the above said item. The quotations should be addressed to the Dean, PAJANCOA & RI, Nedungadu (Post), Karaikal - 609 603 and should be sent in a sealed cover.

The cover of the quotation should be superscribed as "Quotation for supply of Crown Coring Machine - Dept of Horticulture - PHT Laboratory".

The quotations should reach this office on or before 29.11.2021.

The validity period of quotation should not be less than 90 days from the date of quotation.

DEAN

16.11.3